

SIGNABOND

Aluminum Composite Material

The Right Panel Right Now!













Products More Choices... More Sizes... Then any other

Than any other ACP Supplier!



Size Available: **4 x 8** (30.5 lbs) • **4 x 10** (38 lbs) • **5 x 10** (47.5 lbs) Material: 3mm thickness - .30mm aluminum / Can be fabricated



3mm Size Available: **4 x 8** (28.25 lbs) **4 x 10** (35.25 lbs) **5 x 10** (44 lbs) 6mm Size Available: **4 x 8** (51.5 lbs) **4 x 10** (64.5 lbs) **5 x 10** (80.5 lbs)

Material: 3mm & 6mm thickness - .20mm aluminum



Size Available: **4 x 8** (28.25 lbs / 51.5 lbs) • **4 x 10** (35.5 lbs / 64.5 lbs) • **5 x 10** (44 lbs / 80.5 lbs)

Material: 3mm / 6mm thickness - .20mm aluminum



Size Available: 4 x 8 (28.25 lbs) • Brushed Silver ONLY 4 x 10 (35.5 lbs) 5 x 10 (44 lbs)

Material: 3mm thickness - .20mm aluminum



Size Available: **4 x 8** (28.25 lbs)

Material: 3mm & 6mm thickness - .15mm aluminum



Size Available: **4 x 10** (35.5 lbs)

Material: 3mm thickness - .15mm aluminum



Size Available: **18" x 24"** 10pc/box (1.8 lbs each) • **24" x 36"** 5pc/box (3.6 lbs each)

Material: 2mm thickness



Size Available: 4 x 8 .15mm & .2mm - 5 x 10 .2mm only


Material: 3mm thickness - .20mm aluminum (28.25 lbs/5x10 44 lbs) & .15mm aluminum (27.25 lbs)



Size Available: 4 x 8 • 18" x 24" 10pc/box • 24" x 36" 5pc/box

Material: 3mm thickness





Aluminum Composite Sign Material

- UL Listed and recognized
- PPG Coatings Protected
- All Products except ACM Basic NCHRP 350 approved for FHA temporary construction zone signeage
- One of the most technically advanced panels ever produced
- Formed in a continuous-line process, using a patented 10-STEP method of material and chemical application developed in Germany and Italy
- Manufactured using high quality ISO9001, ISO90014 standards
- Strong and durable
- Resist corrosion
- Impervious to water and most chemicals
- Suitable for most extreme outdoor conditions
- Extremely light weight
- No pre-treatment needed for vinyl and paint graphics
- Easily cut, fabricated and mounted using standard wood or metal tools
- Variety of sizes and colors
- Fast delivery
- Recyclable













Ordering

ORDERING INFORMATION:

Our policy is to have your order ready for pick up within *48 hours upon receipt, excluding weekends. All orders must be faxed to our corporate office. You will receive a fax confirmation of your order and the estimated shipping date.

ORDER FAX NUMBER: 478.374.4568

WARRANTY: Limited 5 year warranty, Except ACM Basic

Visit www.globalsignproducts.com to download complete written copy of warranty.

*Note regarding shipping policy: Global Sign Products, Inc. will strive to have your order ready for pick up within 48 hours after time of receipt. Purchasing and stocking levels must be mutually agreed upon between Global Sign Products, Inc. and your company. A ramp up time to receive inventory is necessary for all new customers. An inventory stocking and purchase forecast agreement will ensure that you receive the most prompt and professional service in the sign substrate industry.

When new products are introduced, the agreements and contracts should be revised to include these products to insure continued quality service and the quickest shipping schedule possible.

This Limited Warranty is made in lieu of all other warranties, written or oral, express or implied warranties, and Global Sign Products, LLC expressly disclaims any warranty of merchantability or warranty of fitness for a particular purpose. The Original Purchaser's, Authorized Dealer's and/or Distributor's warranty rights are expressly limited to the terms of this Limited Warranty. The Limited Warranty is Global Sign Products, LLC's sole and exclusive liability in connection with the purchase of the above-listed Signabond aluminum composite sign panels.



For Information Call 478.374.4564
For complete product and company information please visit:
www.globalsignproducts.com



Corporate Office Global Sign Products, LLC 110 Industrial Boulevard Eastman, GA 31023 V 478.374.4564 F 478.374.4568